

73049-271

06/13/2013

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

6-13-13

Nasser Assaf
Valent 870 Technology Way
Libertyville, IL 60048

Subject: Amended Reregistration Label
Product Name: Pyrenone Multi-Purpose Insecticide
EPA Registration Number: 73049-271

Dear Mr. Assaf:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrin and pbo RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note on the final printed label do not print "homeowner sublabel" and "Commercial/Professional" sublabel.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 4-30-10

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2

EPA Reg. 73049-271

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at Kraft.Erik@epa.gov or Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov.

Sincerely yours,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

PYRENONE®

MULTI-PURPOSE INSECTICIDE

- *[Contains Pyrenone*
- *Low Dosage Required*
- *Intended For Homeowners and Residential Use*
- *Provides Rapid Kill Of Houseflies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps And Accessible Stages Of Cockroaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites And Spiders*
- *Kills And Repels Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Mosquitoes And Gnats*
- *Kills Garden Insects On Ornamental And Vegetable Plants*
- *Acceptable For Use To Day Of Harvest On Edible Plants]*

ACTIVE INGREDIENTS:

Pyrethrins.....	0.5%
Piperonyl Butoxide*	5.0%
OTHER INGREDIENTS**:	94.5%
	100.0%

* (butyl carbityl)(6-propylpiperonyl) ether and related compounds.

**Contains petroleum distillate.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-271

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN


CAUTION

See Side/Back Panel For Additional Precautionary Statements.

FIRST AID	
If Swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give any liquid to the person• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

NET CONTENTS:

LOT NUMBER:



PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

[Products used exclusively indoors may omit the Environmental Hazards Statement.]

[Environmental Hazards]

This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated area. Do not contaminate water when disposing of equipment washwater, or rinsate. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- [Except when applying to livestock,] do not remain in treated area. Exit area immediately and do not re-enter or allow adults, children, or pets to enter until sprays have dried and vapors and/or mist have dispersed, and the treated area has been thoroughly ventilated and sprays have dried.
- [Except when applying to livestock,] do not apply this product in a way that will contact other persons, either directly or through drift.
- Do not apply when food is present.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before space spray application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried.
- Test product on an inconspicuous area before applying. Will not stain surfaces or fabrics where water alone causes no damage.
- Do not wet plants to point of runoff or drip.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- [Alternate text – outdoor application:
 - All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 - 1) Treatment to soil or vegetation around structures
 - 2) Applications to lawns, turf, and other vegetation
 - 3) Application to building foundations, up to a maximum height of 3 feet.
 - Other than application to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications, only.
 - Do not water the treated area to the point of run-off.
 - Do not make applications during rain.]
- [Alternate text: When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.]

Use Directions

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from you. Press valve down and spray as directed.

Spray until surface is slightly wet but not to the point of run-off. Over application may cause damage.

Houseflies, Mosquitoes, Gnats, Wasps and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 2 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10-15 minutes after treatment.

Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on Ants where possible.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Use only a recommended pet spray on pets.

Carpet Beetles: Spray directly on Beetles, baseboards, floors, shelves and carpets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid kill of **Houseflies, Mosquitoes, Gnats, Wasps and Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

TO TREAT ANIMALS: To protect beef cattle, dairy cattle and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Houseflies, Horn Flies, Mosquitoes and Gnats**, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

EXPOSED STAGES OF Indianmeal Moths and Angoumois Grain Moths: Close doors and windows. Directly spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Fumigate infested stored products or treat by other effective methods using an approved product intended for that purpose.

EXPOSED STAGES OF Flour Beetles, Weevils and Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored food products in the home.

KILLS GARDEN INSECTS ON ORNAMENTAL AND VEGETABLE PLANTS: Spray with slow sweeping motion, not closer than 18 inches from plants. Spray plants only when air is still. For single plants, spray in short bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains. Acceptable for use to day of harvest on edible plants.

Use on Ornamentals (Roses, Asters, Dahlias, African Violets, Azaleas, Euonymus, Hydrangeas, Junipers, Lilacs) to control **Aphids, Rose Chafers, Japanese Beetles, Rose Slugs, Tent Caterpillars, Scales (including Euonymus and Juniper Scales), Leafhoppers, Tarnished Plant Bugs, Lace Bugs, (including Azalea Lace Bugs, Thrips (Exposed), Mealy Bugs (including Citrus Mealybugs), Mites (including Red Spider, Spider and Broad Mites), Plant Bugs, Whiteflies, Leafminers, Hydrangea Leaf-tiers, Bagworms and Leafrollers.**

Use on Vegetables (Peppers, Eggplants, Potatoes, Cucumbers, Squash, Melons, Beans, Sweet Corn) and Tomatoes to control **Flea Beetles, Hornworms, Stinkbugs, Colorado Potato Beetles, Aphids (including Green Peach Aphids), Leafhoppers, Blister Beetles, Striped and Spotted Cucumber Beetles, Mexican Bean Beetles, Whiteflies, 12- Spotted Beetles and Japanese Beetles.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: [Store in a cool, dry area away from heat or open flame.][Do not store near heat or open flame.] [Store in a cool dry area away from [inaccessible to] children and pets and away from heat sparks and open flame.] [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

[Or alternate text

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

© Valent BioSciences Corporation, 2013
Pyrenone is a registered trademark of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048

[] Indicates alternate text in addition to any subset of the directions for use.

7/11

PYRENONE®

MULTI-PURPOSE INSECTICIDE

- *[Intended for Commercial/Industrial Use*
- *Contains Pyrenone*
- *Low Dosage Required*
- *For Use In Schools, Hospitals, Institutions, Supermarkets, Dairies, Hotels, Restaurants, Drive-Ins, Motels, Drug Stores, Food Plants, Milk Rooms And Animal Quarters*
- *Provides Rapid Kill Of Houseflies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps And Accessible Stages Of Cockroaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites And Spiders*
- *Kills And Repels Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Mosquitoes And Gnats*
- *Kills Garden Insects On Ornamental And Vegetable Plants*
- *Acceptable For Use To Day Of Harvest On Edible Plants]*

ACTIVE INGREDIENTS:

Pyrethrins.....	0.5%
Piperonyl Butoxide*	5.0%
OTHER INGREDIENTS**:	94.5%
	100.0%

* (butyl carbityl)(6-propylpiperonyl) ether and related compounds.

**Contains petroleum distillate.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-271

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel For Additional Precautionary Statements.

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

NET CONTENTS:

LOT NUMBER:

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals**CAUTION**

Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers, must wear:

- Long-sleeved shirt
- Long pants
- Shoes plus socks

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations:

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

*[Products used exclusively indoors may omit the Environmental Hazards Statement.]***[Environmental Hazards]**

This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated area. Do not contaminate water when disposing of equipment washwater, or rinsate. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions & Precautions

- [Except when applying to livestock,] Do not remain in treated area. Exit area immediately and do not re-enter or allow adults, children, or pets to enter until sprays have dried and vapors and/or mist have dispersed, and the treated area has been thoroughly ventilated and sprays have dried.
- [Except when applying to livestock,] do not apply this product in a way that will contact [workers or] other persons, either directly or through drift.
 - [Except when applying to livestock,] only protected handlers may be in the area during applications.
 - Do not use in aircraft cabins.
 - Do not make space spray applications when facility is in operation.
- Do not apply when food is present.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before space spray application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried.

- Test product on an inconspicuous area before applying. Will not stain surfaces or fabrics where water alone causes no damage.
- Do not wet plants to point of runoff or drip.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- [Alternate text – outdoor application:
 - All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 - 4) Treatment to soil or vegetation around structures
 - 5) Applications to lawns, turf, and other vegetation
 - 6) Application to building foundations, up to a maximum height of 3 feet.
 - Other than application to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications, only.
 - Do not water the treated area to the point of run-off.
 - Do not make applications during rain.]
- [Alternate text: When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.]

Use Directions

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from you. Press valve down and spray as directed.

Spray until surface is slightly wet but not to the point of run-off. Over application may cause damage.

Houseflies, Mosquitoes, Gnats, Wasps and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 2 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10-15 minutes after treatment.

Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on Ants where possible.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Use only a recommended pet spray on pets.

Carpet Beetles: Spray directly on Beetles, baseboards, floors, shelves and carpets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid kill of **Houseflies, Mosquitoes, Gnats, Wasps** and **Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

TO TREAT ANIMALS: To protect beef cattle, dairy cattle and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Houseflies, Horn Flies, Mosquitoes** and **Gnats**, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

EXPOSED STAGES OF Indianmeal Moths and Angoumois Grain Moths: Close doors and windows. Directly spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Fumigate infested stored products or treat by other effective methods using an approved product intended for that purpose.

EXPOSED STAGES OF *Flour Beetles*, *Weevils* and *Grain Mites*: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored food products in the home.

KILLS GARDEN INSECTS ON ORNAMENTAL AND VEGETABLE PLANTS: Spray with slow sweeping motion, not closer than 18 inches from plants. Spray plants only when air is still. For single plants, spray in short bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains. Acceptable for use to day of harvest on edible plants.

Use on Ornamentals (Roses, Asters, Dahlias, African Violets, Azaleas, Euonymus, Hydrangeas, Junipers, Lilacs) to control *Aphids*, *Rose Chafers*, *Japanese Beetles*, *Rose Slugs*, *Tent Caterpillars*, *Scales (including Euonymus and Juniper Scales)*, *Leafhoppers*, *Tarnished Plant Bugs*, *Lace Bugs (including Azalea Lace Bugs, Thrips (Exposed), Mealy Bugs (including Citrus Mealybugs), Mites (including Red Spider, Spider and Broad Mites), Plant Bugs, Whiteflies, Leafminers, Hydrangea Leaf-tiers, Bagworms and Leafrollers*.

Use on Vegetables (Peppers, Eggplants, Potatoes, Cucumbers, Squash, Melons, Beans, Sweet Corn) and Tomatoes to control *Flea Beetles*, *Hornworms*, *Stinkbugs*, *Colorado Potato Beetles*, *Aphids (including Green Peach Aphids)*, *Leafhoppers*, *Blister Beetles*, *Striped and Spotted Cucumber Beetles*, *Mexican Bean Beetles*, *Whiteflies*, *12-Spotted Beetles* and *Japanese Beetles*.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: [Store in a cool, dry area away from heat or open flame.] [Do not store near heat or open flame.] [Store in a cool dry area away from [inaccessible to] children and pets and away from heat sparks and open flame.] [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

[Or alternate text

"/

73049-271

Master Label-MARKED
Commercial/Professional

June 7, 2013
Page 9 of 9

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

© Valent BioSciences Corporation, 2013

Pyrenone is a registered trademark of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048

[] Indicates alternate text in addition to any subset of the directions for use.